

L Number	Hits	Search Text	DB	Time stamp
-	156	(digital adj fingerprint\$) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:45
-	131	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	105	((digital adj fingerprint\$) and @ad<20000621) and group\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:15
-	26	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) not ((digital adj fingerprint\$) and @ad<20000621) and group\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:15
-	131	((digital adj fingerprint\$) and @ad<20000621) and (verif\$ or match\$4 or valid\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:16
-	21	((digital adj fingerprint\$) and @ad<20000621) and (separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) not ((digital adj fingerprint\$) and @ad<20000621) and group\$4) and ((digital adj fingerprint\$) and @ad<20000621) and (verif\$ or match\$4 or valid\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:16
-	76	((digital adj fingerprint\$) and @ad<20000621) and statist\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:17
-	93	((digital adj fingerprint\$) and @ad<20000621) and (statist\$ or probab\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:17
-	21	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	11	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and index	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:18
-	8	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and index) and ((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint) and identif\$) and scan\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:19

-	5	((((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and index) and (((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$) and scan\$ and (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:20
-	5	((((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and index) and (((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$) and scan\$ and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:20
-	11	5926555.URPN.	USPAT	2003/12/03 17:24
-	20	((digital adj fingerprint\$) and @ad<20000621) and ((separat\$4 or section or group\$4 partition\$4 or categor\$5 or class\$4 or classify\$4) with fingerprint)) and identif\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:27
-	92	((digital adj fingerprint\$) and @ad<20000621) and (statist\$ or probable or probability)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:34
-	801	(digital with fingerprint\$) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:02
-	511	((digital with fingerprint\$) and @ad<20000621) and ((detect\$ or identif\$) with fingerprint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:39
-	15	((digital with fingerprint\$) and @ad<20000621) and (match\$) near (section or segment or part or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:46
-	27	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:51
-	12	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group) ) not (((digital with fingerprint\$) and @ad<20000621) and (match\$) near (section or segment or part or group) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:46
-	37	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:05

-	11	((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) not ((digital with fingerprint\$) and @ad<20000621) and (match\$ or verif\$) near (section or region or segment or part or group) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 17:55
-	14117	(digital with (identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:41
-	18113	(digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:34
-	365	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$ or verif\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:11
-	694	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$ or verif\$ or compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:18
-	198	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:29
-	379	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:19
-	35	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) and ((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:20
-	23	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) and ((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) and (database or repository)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:21
-	84	((digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621) and (match\$) near (\$section or \$region or \$area)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:30

-	79	((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (match\$) near (\$section or \$region or \$area) ) not (((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (match\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) and (((digital with (signature or identification or marking or embed\$ or fingerprint\$) and @ad<20000621) and (compar\$) near (\$section or \$region or \$segment or \$part or \$group or \$area) ) and (database or repository))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:30
-	17778	((digital or electronic) with (identification or marking or embed\$ or fingerprint\$) with (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:43
-	842	((digital or electronic) with (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:43
-	2018	((digital or electronic) adj (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:44
-	4628	((section or group or region ) with (identification or marking or embed\$ or fingerprint\$) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:45
-	373	((section or group or region ) with (signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:47
-	13871	((section or group or region ) with (identi\$ or signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:51
-	44	((digital or electronic) adj (identification or marking or embed\$ or fingerprint\$) near2 (identification or detection or matching)) and @ad<20000621) and (((section or group or region ) with (identi\$ or signature or fingerprint) with (separat\$ or divid\$ or segment\$)) and @ad<20000621)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 18:51
-	1	6650877.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:24
-	823	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:34
-	1246	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj (device or apparatus or method or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:35

-	48340	(electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:41
-	919	(electronic or digital) adj (search\$4 or retriev\$4 or identification or detection) adj (device or apparatus or method or system) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:39
-	33858	(electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:52
-	906	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 11:57
-	859	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and (compar\$4 or associat\$ or match\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:03
-	340	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:16
-	204	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section ) ) and (index or number\$4 with identif\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:07
-	411	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 12:06
-	243	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) ) and (index or number\$4 with identif\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:00
-	243	((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) ) and (index or number\$4 with identif\$) and (output\$4 or provid\$4 or stor\$4) with (bit or number or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:02

-	242	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (output\$4 or generat\$4 or stor\$4) with (bit or number or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:03
-	46	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct ) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:12
-	80	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:10
-	81	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) near2 (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:11
-	123	(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/04 13:11

107	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad&lt;20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/04 13:15</p>
197	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad&lt;20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and ((section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section ) )</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/04 13:21</p>
96	<p>(((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad&lt;20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))) and (((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad&lt;20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and ((section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section ) )</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/08 15:35</p>

-	96	((((((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and (generat\$4 or compute or computing or deriv\$4 or calculat\$4 or process\$4 or determin\$4) with (most or best correct or probabili\$4 or statistic\$5 or stab\$5) with (value or bit or signature or digital or fingerprint\$4)) and ((value or bit or signature or digital or fingerprint\$4) with (\$section or \$region or \$segment or \$part or \$group or \$area))) and (((((electronic or digital) with (search\$4 or retriev\$4 or identification or detection) with (device or apparatus or method or system) and @ad<20000621) and ((stable or stabili\$4 or flip) with bit )) and ((compar\$4 or associat\$ or match\$4) same (database or repository or table or section or group ) )) and (index or number\$4 with identif\$)) and ((\$section or \$region or \$segment or \$part or \$group or \$area) with (database or repository or table or section ) ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:42
-	436	713/176.ccls. and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 15:45
-	139	(database or (data adj storage ) or (data adj table ) ) and (((section or group ) with (database or storage or table)) same (match\$ or correspond\$4 )) and ((associat\$4 or correlat\$4) with (identification or identifier or index or record) ) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:32
-	2	6405218.URPN.	USPAT	2003/12/08 16:34

-	95	("4432057"   "4807182"   "4819156"   "4827423"   "4866611"   "4875159"   "4956809"   "4980844"   "5065360"   "5136707"   "5142619"   "5155850"   "5170480"   "5187787"   "5210868"   "5228116"   "5237678"   "5251151"   "5251291"   "5261045"   "5261094"   "5272628"   "5278978"   "5278982"   "5283887"   "5293627"   "5301313"   "5315709"   "5327555"   "5333252"   "5333265"   "5333316"   "5339392"   "5339434"   "5355476"   "5375234"   "5392390"   "5396612"   "5434994"   "5444851"   "5448718"   "5463735"   "5475833"   "5511188"   "5519606"   "5530939"   "5560005"   "5568402"   "5583793"   "5596574"   "5600834"   "5613113"   "5615364"   "5619689"   "5630081"   "5666530"   "5666553"   "5682524"   "5684984"   "5684990"   "5699517"   "5701423"   "5706452"   "5708812"   "5708840"   "5710922"   "5727202"   "5729735"   "5745712"   "5758083"   "5758150"   "5758355"   "5778388"   "5790789"   "5809494"   "5832218"   "5838923"   "5845293"   "5870759"   "5870765"   "5884323"   "5884324"   "5884325"   "5892909"   "5897640"   "5926824"   "5928329"   "5943676"   "5978813"   "6039245"   "6141664"   "6212529"   "6223187"   "6330568"   "6405218").PN.	USPAT	2003/12/08 16:36
-	52	5339434.URPN.	USPAT	2003/12/08 17:11
-	2928	((stability or stable ) adj ( value or bit)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:32
-	0	((database or (data adj storage ) or (data adj table ) ) and ((section or group ) with (database or storage or table)) same (match\$ or correspond\$4 ) ) and ((asssociat\$4 or correlat\$4) with (identification or identifier or index or record) ) and @ad<20000621) and (((stability or stable ) adj ( value or bit)) and @ad<20000621)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:33
-	0	((stability or stable ) adj ( value or bit)) and @ad<20000621) and 713/176.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:34
-	0	((stability or stable ) adj ( value or bit)) and @ad<20000621) and 713.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:34
-	18	((stability or stable ) adj ( value or bit)) and @ad<20000621) and 713/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 17:35
-	4022	((stability or stable or reliab\$5 ) adj ( value or bit)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:33

-	31	((stability or stable or reliab\$5 ) adj ( value or bit)) and @ad<20000621) and (digital with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:34
-	43	((stability or stable or reliab\$5 ) adj ( value or bit)) and @ad<20000621) and ((digital or electronic) with (signature or identification or marking or embed\$ or fingerprint\$)) and @ad<20000621	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 09:35
-	2	5748763.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:54
-	2	6026193.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/09 12:54